

# Safety Data Sheet

According to 1907/2006/EC, article 31

Version: 1.1

Revision: 25.2.2016  
Printing date: 25.2.2016

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Trade name:

# Edelstahl Test/Stainless steel test

Restricted to professional users.

### 1.2 Relevant identified uses of the substance/mixture and uses advised against

<b>Application of the substance / the preparation</b>	See trade name / according labelling under 1.1 Testing reagent for laboratory and precious metal trading
<b>Uses advised against of the substance / the preparation</b>	Others than like trade name all ways of spraying applications

### 1.3 Details of the supplier of the safety data sheet

#### Manufacturer / Supplier

SK-Chemie Stefan Köhler  
Vertrieb Chem.-Techn. Spezial-Produkte  
Stefan Köhler  
Bergweg 5  
D-56340 Dachsenhausen

**Phone:** +49 (0) 6776 958 931  
**Telefax:** +49 (0) 6776 958 932  
**E-Mail:** info@skchemie.de  
**Webseite:** <http://www.skchemie.de>

### 1.4 Emergency telephone number

Poison Info Center of the University Mainz  
24 hours service. Languages: german/english

**Phone:** +49 (0) 6131 / 19240

### 1.5 Further informations obtainable from

SK-Chemie Stefan Köhler, Contact datas see above

## SECTION 2: Hazards information

### 2.1 Classification of the product/mixture according to Regulation (EC) No 1272/2006

Regulation (EC) No 1272/2008:  
Met. Corr. 1; H290 , Acute Tox. 4; H302 , Skin Corr. 1A; H314

### 2.2 Labelling of the product/mixture according to Regulation (EC) No 1272/2006

Hazard pictograms:



GHS05 GHS07

**Signal word:** Danger

**Hazard statements:** H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

**Precautionary statements:** P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+330+331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

## 2.3 Other hazards

Results of PBT- and vPvB assesment

PBT: not applicable.

vPvB: not applicable.

## SECTION 3: Composition/information on ingredients

### 3.1 Chemical characterization

Aqueous mixture of substances listed below with nonhazardous additions.

### 3.2 Hazardous ingredients

Stoff:	EINECS:	CAS:	INDEX-No.:	REACH-No.:	Concentration:	Classification: EC 1272/2008(CLP):
Ferric trichlorid	231-729-4	7705-08-0	-		25 - 50 %	Met. Corr. 1 H290 Eye Dam. 1, H318 Skin Irrit. 2, H315 Acute Tox. 4, H302

(Full text of H-phrases: see section 16.)

### 3.3 Additional informations

Contains no SVHC substances

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

**General informations** Remove any clothing soiled by the product immediately.

**After inhalation** Fresh air or oxygen; seek medical advice.

In case of unconsciousness place and transport in stable side position.

**After skin contact** Remove any clothing soiled by the product immediately.

Wash off with plenty of water. Seek medical advice.

**After eye contact** After contact with the eyes, immediately rinse the open eyes 10 to 15 minutes under running water. Seek medical advice (oculist).

**After swallowing** Give water to drink in small sips (dilution effect). No administration in cases of unconsciousness or convulsions. Do not induce vomiting. Seek medical advice.

**Self protection** First responders: take care of self-protection

### 4.2 Most important symptoms and effects, both acut and delayed

**Symptoms:** No further relevant information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## SECTION 5: Firefighting measures

### 5.1 General informations

Extinguishing measures in accordance to the surrounding conditions. The product itself does not burn. To protect persons and to cool endangered containers using water spray. Remove undamaged containers from the danger zone if possible without risk.

## 5.2 Extinguishing media:

**suitable:** Water-spray, Carbon dioxide (CO<sub>2</sub>), foam, extinguishing powder

**Unsuitable:** Water with full jet

## 5.3 Special hazards arising from the substance or mixture

In case of fire, the following can be released: Hydrogen chloride (HCl)

Reacts with base metals with formation of flammable hydrogen gas.

## 5.4 Advice for firefighters

### Protective equipment

Wear full protective suit with self-contained breathing apparatus.

### Additional informations

Collect contaminated fire fighting water separately. It must not enter the sewage system.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Wear protective equipment. Remove persons to safety. Keep away unprotected persons.

### 6.2 Environment precautions

Inform respective authorities in case of seepage into water courses or sewage system. Do not allow to enter sewers/surface or ground water.

### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, fused silica, acid-binder, universal-binder). Contaminated material has to be disposed as waste (see section 13). Clean contaminated surface thoroughly.

### 6.4 Referenc to other sections

See section 7 for information on safe handling

See section 8 for information on personal protection equipment

See section 13 for disposal information

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on safe handling

Keep containers/bottles tightly closed. Open and handle container with care. Ensure good ventilation/exhausting at the workplace. Avoid contact with eyes and skin.

#### Technical measures

Ensure good ventilation.

#### Information about fire- and explosion protections

Usual measures for preventive fire protection.

#### Additional information

None

## 7.2 Conditions for safe storage including any incompatibilities

### Technical measures and conditions

Ensure good ventilation.

### Packaging materials

Keep containers/bottles tightly closed. Use original containers/bottles only.

### Requirements to be met by storerooms and receptacles

Store in cool, dry conditions. Observe official regulations on storage and handling of water hazardous substances.

### Information about storage in one common storage facility

Keep away from (strong) alkalis. Keep away from foodstuffs, beverages and feed.

### Further information about storage conditions

No further relevant information available.

**Storage class:** 8 B non flammable corrosiv substances

## 7.3 Specific end use(s)

See directions for use.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Ingredients with limit values that require monitoring at the workplace

##### Occupational exposure limits:

Substance:	CAS:	Qrigin:	Occupational exposure limit value	Peak:	Remarks:
-	-	-	-	-	-

##### Common exposure limits:

Substance:	CAS:	Qrigin:	Occupational exposure limit value	Peak:	Remarks:
-	-	-	-	-	-

Additional information: The lists valid during the making were used as basis.

### DNELs

No datas available

### \*8.2 Exposure controls

#### General protective and hygiene measures

Technical measures and the application of suitable work processes should be given priority over the use of personal protective equipment.

The personal protective equipment must be defined depending on the quantitates and concentration of hazardous substances in the workplace. ( Risk assessment )

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and the end of work. Store protective clothing separately. Avoid contact with eyes and skin. Do not breathe vapours/aerosols.

#### Personal protective equipement

Minimum standards for protective measures when handling working substances are listed in TRGS 500.

**Breathing equipment**

Continuously respected workplace exposure limits and other limits respiratory protection normally is not required.

Exceeding the minimum triggering level --> breathing filter apparatus

In case of brief exposure or low pollution use breathing filter apparatus. (Face mask according to DIN EN 136) with filter type E(P2 ) (DIN EN 14387). In case of intensive or longer exposure use breathing apparatus that is independent of circulating air (according DIN EN 137).

**Protection of hands**

The gloves must comply with DIN EN 374-3 : match of 2003.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

**Material of gloves**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

**Gloves for the permanent contact are suitable of the following materials:**

Recommended thickness:  $\geq 0.7$  mm Butyl rubber, Value for the permeation: Level  $\geq 480$  min

**As protection from splashes gloves made of the following materials are suitable:**

Recommended thickness:  $\geq 0.7$  mm Butyl rubber, Value for the permeation: Level  $\geq 480$  min

**Eye protection**

Tightly fitting safety glasses according DIN EN 166.

**Body protection**

Protective clothing in accordance with DIN EN 13688 : 2013. Chemical resistant safety shoes or boots according DIN EN 13832-1 : 2006. If skin contact is possible, wear impenetrable protective clothing against this substance according DIN EN 13034:2005.

Protective clothing in accordance with DIN EN 13688 : 2013. Chemical resistant safety shoes or boots according DIN EN 13832-1+2 : 2006.

**Environmental exposure controls**

see section 7. There are no further action is required.

**Consumer exposure control**

see section 7. There are no further action is required.

**8.3 Exposure scenario**

none

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### Appearance

Form:	liquid
Color:	brown
Odour:	pungent

#### Safety relevant basic data

Parameter	Value	Unit	Remark
Density:	at 20°C	approx. 1,3	g/cm <sup>3</sup>
pH:	undiluted	< 2	
Melting point / -range:			No data available
Initial boiling point/boiling range			No data available
Flashpoint			not applicable
Ignition properties:			not applicable
Upper ignition limits			not applicable
Upper igniton limits			not applicable
Explosiv properties			not explosive
Upper explosive limits			not applicable
Upper explosive limits			not applicable
Auto-ignition temperature			not applicable
Decomposition temperature			No data available
Oxidising properties			Not oxidising
Vapour pressure			No data available
Vapour density			No data available
Evaporation rate			No data available
Solubility in water			completely miscible
Partition coefficient n-octanol/water			No data available
Viscosity:			No data available
Value of solvents: - organic solvents			0,0 %

### 9.2 Additional information

No further relevant information available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Reaction with: Alkalis

### 10.2 Chemical Stability

No decomposition if used according to the specifications.

### 10.3 Possibility of hazardous reactions

Violent neutralization reactions with alkalis (caustic solutions) under heat emission.  
Reacts with metals forming hydrogen.

### 10.4 Conditions to avoid

Heating

### 10.5 Incompatible materials

Base metals, alkalis, reducing agents

## 10.6 Hazardous decomposition products

In case of fire, the following can be released: Hydrogen chloride (HCl)

## 10.7 Additional information

No further relevant information available.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

No data available for the mixture.

#### Acute Toxicity

Substance:	CAS.:	Toxilogical ngaben
Ferric trichlorid	7705-08-0	Acute Toxicity, oral 450 mg/l (Rat)

Origin: Gestis data base

### 11.2 Primary irritant effect

#### On the skin

Caustic effect on skin and mucous membrans.

#### On the eye

Strong caustic effect

#### After inhalation

Caustic effect on skin and mucous membrans.

### 11.3 Sensitisation

No sensitizing effects known.

### 11.4 Toxicity at repeated exposure

No datas availabe

### 11.5 CMR-effects

#### Carcinogenity

No effects known.

#### Mutagenicity

No effects known.

#### Reproductiv toxicity

No effects known.

### 11.6 General remarks

No further relevant information available.

#### Practical experience

There is no information available.

#### Other observations

There is no information available.

#### Additional information

No further relevant information available.

## SECTION 12: Ecological information

### 12.1 Information on toxicological effects

No data available for the mixture.

### Ecotoxicity

Substance:	CAS:	Ecotoxicity
Nitric acid	7705-08-0	Acute toxicity to crustacea LC50/48 h: 33,4 mg/l median-value Acute toxicity to fish LC50/96 h: 21 mg/l median-value

Origin: Gestis data base

### 12.2 Persistence and degradability

Methods of the determination of biodegradability are not applicable on inorganic substances.

### 12.3 Bioaccumulative potential

No further relevant information available

### 12.4 Mobility in soil

No further relevant information available

### 12.5 Results of PBT- and vPvB-assessment

Not applicable

### 12.6 Other adverse effects

Does not cause biological oxygen deficit.

### 12.7 Additional ecological information

Do not allow product to reach ground water, water bodies or sewage system.

### 12.8 Additional information

Water hazard class 1 (German Regulation )(Self-assessment): slightly hazardous for water.

---

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

#### Recommendation

Chemicals must be disposed of in compliance with the respective national regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

#### Waste disposal key number

Since 01.01.1999 the waste code numbers have not only been product-related but are also essentially application-related. The valid waste code number of the application can be obtained from the European waste catalogue.

#### Uncleaned packagings

Disposal must be made according to official regulations. Packagings that may not be cleansed are not to be disposed in the same manner as the product.

---

## SECTION 14: Transport informations

### 14.1 UN-Number

ADR, IMDG, IATA      UN 3264

### 14.2 Proper shipping name

ADR: 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (FERRIC CHLORIDE, SOLUTION)

IMDG: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (FERRIC CHLORIDE, SOLUTION)

IATA: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (FERRIC CHLORIDE, SOLUTION)



### 14.3 Transport hazard class(es)

**ADR:**

Class: 8 (C1) Corrosive substances

Label: 8

**IMDG, IATA:**

Class: 8 Corrosive substances

Label: 8

### 14.4 Packaging group

ADR, IMDG, IATA: III

### 14.5 Environmental hazards

Product contains environmental hazards: -

Marine pollutant: no

Special marking (ADR): -

### 14.6 Special precautions for user

Warning: corrosive substances

Danger code (Kemler): 80

EMS-Number: F-A, S-B

Segregation groups: Acids

### 14.7 Transport in bulk according to Annex II of Marpol 73/78 and the IBC Code

Not applicable

### 14.8 Additional information

**ADR:**

Limited quantities (LQ): 5 L

Expected quantities (EQ): Code E1

Maximum quantity per inner packaging: 30 ml

Maximum quantity per outer packaging: 1000 ml

**IMDG:**

Limited quantities (LQ): 5 L

Expected quantities (EQ): Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

**UN "Model Regulation":**UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.  
(FERRIC CHLORIDE, SOLUTION), 8, III

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EU-Regulations****1999/13/EG on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain activities and installations**

Not relevant

**2037/2000/EG on Substances which damage the ozone layer**

Not relevant

**850/2004/EG on Persistent Organic Pollutants**

Not relevant

**689/2008/EG on the export and import of dangerous chemicals**

Not relevant

**648/2004/EG on detergents**

Not relevant

**1907/2006/EG - Restrictions according title VIII of Regulation**

Not relevant

**National regulations**

Must be observed

**Storage class according VCI (German guideline)**

Class 8 B corrosive substances

**Substances of very high concern (SVHC) according REACH, Article 57**

Not relevant

**15.2 Information about limitation of use**

Employment restrictions concerning young persons must be observed.  
Restricted to professional users.

**15.3 Chemical Safety Assessment**

A Chemical Safety Assessment has not been carried out.

---

**SECTION 16: Other informations****16.1 Hazard statements under section 3**

Complete wording of hazard statements and risk phrases (H-phrases) mentioned in section 3.  
These phrases refer to the constituents. The labelling for this product is stated in section 2.

H290 May be corrosive to metals.  
H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.

**16.2 Training advice**

Users of breathing apparatus must be trained.

**16.3 Recommended restriction(s) of application**

See section 1.

**16.4 Additional information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**\*16.5 Replacement documentaion**

Replaces issue dated 23.7.2015 (Version 1)

**16.6 Origin of datas**

Information taken from reference works and literature as well as the instructions of the supplier.

**16.7 Departement issuing MSDS**

See section 1.5: SK-Chemie Stefan Köhler, Contact: Stefan Köhler

**16.8 Abbreviations and acronymes**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organization  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008)  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINECS: European List of Notified Chemical Substances  
GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)  
VCI: Verband der chemischen Industrie (German Chemical Industry Association, Germany)  
DNEL: Derived No-Effect Level (REACH)  
PNEC: Predicted no-Effect Concentration (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
SVHC: Substance of Very High Concern  
PBT: Persistent, Bioakkumulierend, Toxisch  
vPvB: very Persistent and very Bioaccumulative  
Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1  
Met. Corr. 1: Corrosive to metals, Hazard Category 1  
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2  
Acute Tox. 4: Acute toxicity, Hazard Category 4

\* Data compared to the previous issue altered.